

CS-CV206-C0-3B2WFR

1080P indoor Internet Wi-Fi Camera



Introduction

EZVIZ products have been designed for your entertainment, communication, security. When you install the EZVIZ APP on your smartphone or tablet, EZVIZ devices will be connected to the cloud via their QR code and will immediately be online. With EZVIZ you can talk to your loved ones, watch your child's progress when you are away, keep an eye on your home, interact with your four-legged friends, prevent household accidents.

Main Features



HD 1080p



Support Micro SD card slot, up to 128GB



Support 2.4GHz Wi-Fi
(IEEE802.11b, 802.11g, 802.11n)



Two-way audio



True Day/Night, auto switch,
Infra-Red support up to 25ft
(7.5 meters)

Dimension




Accessories (Reference)



Power Adapter



Quick Start Guide



Foam Sticker



Metal Plate



USB Cable

Specifications

Model	CS-CV206-B0-32WFR
Camera	
Image sensor	1/2.7" 2MP HD Progressive Scan CMOS
Shutter Speed	Self-adaptive shutter
Lens	2.8mm@ F2.0, view angle:115° (Horizontal), 135°(Diagonal)
Lens Mount	M12
Day & Night	IR cut filter with auto switch
DNR	3D DNR
WDR	Digital WDR
Compression	
Video Compression	H.264
H.264 Type	Main Profile
Video Bit Rate	HD; balance; and fluency. Adaptive bit rate.
Audio Compression	AAC
Audio Bit Rate	Self-Adaptive
Image	
Max. Resolution	1920 × 1080
Frame Rate	Self-Adaptive Max: 15fps
Image setting	Brightness, contrast, saturation, etc. (configure via EZVIZ studio)
BLC	Support
Network	
Storage	Support Micro SD card (Max. 128G)
Smart Alarm	Motion detection
One-key configuration	SmartConfig (Wi-Fi One Push Configuration)
Protocol	Ezviz cloud proprietary protocol
Interface Protocol	Ezviz cloud proprietary protocol
General Function	Anti-Flicker, Dual-Stream, Heart Beat, Mirror Image, Password Protection, Watermark
Wi-Fi	
Standard	IEEE802.11b, 802.11g, 802.11n Draft
Frequency Range	2.4 GHz ~ 2.4835 GHz
Channel Bandwidth	Support 20/40MHz
Security	64/128-bit WEP, WPA/WPA2, WPA-PSK/WPA2-PSK
Transmission Rate	11b: 11Mbps,11g :54Mbps,11n :150Mbps
General	
Operating Conditions	14°F to 113 °F (-10°C ~ 45°C), Humidity 95% or less (non-condensing)
Power Supply	DC 5V±10%
Power Consumption	MAX. 3W
IR Range	MAX. 7.5 meters
Dimensions (mm)	0.36ft x 0.19ft x 0.12ft (110mm x 58mm x 38mm)
Weight	0.265 lb (120g)